

Elementis Specialties, Inc.	Elementis Specialties
P.O. Box 700, Wyckoffs Mill Rd.	PEGASUSPARK
Hightstown, NJ 08520	De Kleetlaan 12 a, bus 3
Tel.: +1-609-443 2500	1831 Diegem, Belgium
Fax: +1-609-443 2422	Tel.: +32-2-790 76 00
specialinfo.usa@elementis-na.com	Fax: +32-2-790 76 60
Web: www.elementis-specialties.com	specialinfo.eu@elementis-eu.com

ELEMENTIS

SPECIALTIES

DRY ANTIPERSPIRANT STICK WITH BENTONE GEL® VS-5PC V

REF- TS-289

KR5/131

Dry Antiperspirant Stick containing BENTONE GEL® VS-5PC V, rheological additive.

Advantages

The presence of BENTONE GEL® VS-5PC V, rheological additive in this system:

- Provides thermostable viscosity control
- Enhances skin feel
- Improves application

Ingredient	Supplier	% w/w
BENTONE GEL® VS-5PC V	ELEMENTIS Specialties	10.0
Cyclomethicone	Dow Corning	39.7
Cetearyl Alcohol	Goldschmidt	22.0
Glyceryl Stearate (and) PEG-100 Stearate	Inolex	2.0
Aluminium Chlorohydrate	Reheis Inc	25.0
Talc	US Cosmetic Group	1.0
CI 77891	QUANTUM COLOURS	0.2
Fragrance		0.1

Method of Manufacture

1. Heat Cyclomethicone to 65°C and add Cetearyl Alcohol, Glyceryl Stearate (and) PEG-100 Stearate, and CI 77891 and mix using a Silverson homogeniser.
2. Add BENTONE GEL® VS-5PC V and continue mixing for 30 minutes.
3. Add Aluminium Chlorohydrate and Talc and continue mixing until homogenous.
4. Cool to 55°C and add Fragrance.

N.B.

Please refer to the Product Data Sheets for additional advice on incorporation.

The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchases will be subject to a separate agreement which will not incorporate this document.